



GROSS PRICE LIST PER 01/09/2022



Technics & Applications

Klaus Michael Kuehnelaan 9

Tel : +32 14 23 74 95

Website : www.t-and-a.be

B-2440 Geel – Belgium

Mail : info@aquatop.be

Delivery

The delivery of a complete AquaGuard system contains two pallets :

- One long pallet containing the tracks, shaft and leading edge.
- One standard pallet containing the cover, the mechanism, the wired control box, the hydraulic hoses, the hydraulic oil, hydraulic pump, and the accessories for mounting and installing the cover.

Fabric

The AquaGuard fabric consists of PVC armed and anti-UV treated membrane.

Limits

		Maximum surface of cover in m ²	Maximum surface on terrace in m ²		Maximum width between the tracks
			Rough stone	Smooth stone or wood	
Hydraulic	Top track	110	14	10	7
	Flush track	110	14	10	7
	Under track	140	-	-	8

Mechanism :

- Distance between pool inside and rollo mechanism (A):
 $200 \text{ mm} \leq A \leq 400 \text{ mm}$
- Distance between pool inside and rails (B):
 - Without reinforcement $50 \text{ mm} \leq B \leq 200 \text{ mm}$
 - With reinforcement $50 \text{ mm} \leq B \leq 400 \text{ mm}$

Remarks :

- For warranty reasons it is important not to exceed these restrictions
- Consult the preparations and installation manual to obtain all important technical details regarding the AquaGuard system.
- T&A will thoroughly examine all your non-standard projects; please contact us with your plan and dimensions.


Standard NF P 90-308

The AquaGuard cover complies with the demands of the French standard NF P 90-308. The system is controlled by the French testing agency LNE.
For the French market, the use of a 12V evacuation pump for rainwater is obligatory.
When not ordering a finishing at T&A, it is the responsibility of the installer or client to install a finishing (panel for recessed mechanism, mechanism cover for top-mount system) that complies with the NF P 90-308

AquaGuard automatic

Calculate with the dimensions of the cover, not with the dimensions of the pool

Installation with top or flush tracks




Width Length	3000	4000	5000	6000	7000	Fabric reinforcement
6000	6541	6838	7135	7432	7729	264
7000	6687	7006	7325	7644	7963	308
8000	6833	7174	7515	7856	8197	352
9000	6979	7342	7705	8068	8431	396
10000	7125	7510	7895	8280	8665	440
11000	7271	7678	8085	8492	8899	484
12000	7417	7846	8275	8704	9133	528
13000	7563	8014	8465	8916	9367	572
14000	7709	8182	8655	9128	9601	616
15000	7855	8350	8845	9340	9835	660
16000	8001	8518	9035	9552		704
17000	8147	8686	9225	9764		748
18000	8293	8854	9415	9976		792
19000	8439	9022	9605			836
20000	8725	9330	9935			880
Pompe évacuation 230V	350	350	350	350	350	
Pompe évacuation 12V (NF P90-308)	300	300	300	300	300	

Top mounted or recessed mechanism

This price includes the complete cover, without bench, finishing and transport.

Installation with under track



Width Length	3000	4000	5000	6000	7000
6000	6864	7188	7513	7837	8162
7000	7050	7396	7743	8089	8436
8000	7236	7604	7973	8341	8710
9000	7422	7812	8203	8593	8984
10000	7608	8020	8433	8845	9258
11000	7794	8228	8663	9097	9532
12000	7980	8436	8893	9349	9806
13000	8166	8644	9123	9601	10080
14000	8352	8852	9353	9853	10354
15000	8538	9060	9583	10105	10628
16000	8724	9268	9813	10357	10902
17000	8910	9476	10043	10609	11176
18000	9096	9684	10273	10861	11450
19000	9282	9892	10503	11113	11724
20000	9608	10240	10873	11505	12138
Evacuation pump 230V	350	350	350	350	350
Evacuation pump 12V (NF P 90-308)	300	300	300	300	300

Recessed mechanism : This price includes the complete cover without bench, finishing and transport. This price includes the closing profile for the opposite wall of the mechanism.

Calculate with the dimensions of the cover, not with the dimensions of the spa!

Top mounted or recessed mechanism with top track




Width Length	2500	3000	3500
2500	6345	6540	6735
3000	6498	6715	6933
3500	6650	6890	7130
4000	6803	7065	7328
4500	6955	7240	7525
5000	7108	7415	7723
5500	7260	7590	7920
6000	7413	7765	8118
6500	7565	7940	8315
7000	7718	8115	8513
7500	7870	8290	8710
Evacuation pump 230V	350	350	350
Evacuation pump 12V (NF P90-308)	300	300	300

Top mounted or recessed mechanism

This price includes the complete cover, without bench, finishing and transport.


Finishing for top mounted mechanism



Plastic caps

Plastic caps for mechanism (shaft stays in sight)
Art. AG-000160

€ 450




Wooden bench (width between the rails+ 1m)

€ 500/m

Pre-assembled exotic IPE bench
Dimension of bench (height 45cm – depth 51cm)

Finishing for recessed mechanism



1. Brackets

	SS adjustable		Galvanized not adjustable	
L = 400mm	€ 150/pc	AG-000340	€ 90/pc	AG-000555
L = 550mm	€ 175/pc	AG-000425	€ 110/pc	AG-000557
L = 600mm	€ 200/pc	AG-000728	€ 120/pc	AG-000730
L = 650mm	€ 230/pc	AG-000342	€ 130/pc	AG-000510


We advise to install a bracket minimal every 70 cm

2. Finishing profiles

L = 4500mm	AG-000612 + AG-000638	€ 110 (incl. Connection set)
L = 6000mm	AG-000613 + AG-000638	€ 130 (incl. Connection set)

Optionally, you can order a set with end caps for the finishing profiles:


AG-000706: € 70/pc



2. Wooden duckboards in tropical hardwood (thickness wood: 25-28mm)

Available dimensions

Width x L = 600 x ...		Prix / piece
450mm	AG-000746	€ 180
600mm	AG-000747	€ 200
650mm	AG-000748	€ 220
700mm	AG-000749	€ 240




Evacuation pump



	Art. nr.	Preis/Piece	
Pump 230V AC	AG-000282	€ 350	
Pump 12V DC	AG-000592	€ 300	NF P 90-308

Hibernate float



Dimensions	Art. nr.	Preis/Set
8 x 4	AG-001020	€ 450
9 x 4	AG-001021	€ 500
10 x 5	AG-001022	€ 700
11 x 5	AG-001023	€ 750
12 x 5	AG-001024	€ 800

New!! Touchscreen



Colour	Art. nr.	Preis/Piece
White	AG-000980	€ 350
Black	AG-000981	€ 350

Hydraulic pump V2020



Art. nr.	Preis/Piece
AG-001000 (Touchscreen not included)	€ 1800

Control card Hydraulic pump



Art. nr.	Preis/Piece
AG-000991	€ 200

Enlarging set underfloor mechanism
*2 sets per cover



Art. nr.	Price/Set
AG-000416	€ 70

Repair set AG fabric



Art. nr.	Price/Set
AG-000578	€ 100

Key switch (Surface Mount)



Art. nr.	Price/piece
AG-000960	€150

End pulley



Art. nr.	Price/Set
AG-000039	€ 100
AG-000040	€ 100
AG-000041	€ 120

Replacement fabric Calculation

AquaGuard

(surface in m² x € 22 + length x € 65 + width x € 70) + Maintenance kit € 60

SpaFlex

(surface in m² x € 90 + length x € 65 + width x € 70) + Maintenance kit € 60

Wearing parts

The sliders and feeders are components subject to wear and tear and require regular replacement

	Art. nr.	Price/Piece
Maintenance kit top track	AG-00063	€ 60
Maintenance kit flush track	AG-00064	€ 60
Maintenance kit under track	AG-00065	€ 60
Maintenance kit under track with rope tag	AG-000791	€ 60

Rope repair sets



AG-000801



AG-000806



AG-000851





AG-000560

	Art. Nr.	Price/Piece
AG - Rope repair set top/flush track 2 x 20m	AG-000801	€ 200
AG - Rope repair set top/flush track 2 x 30m	AG-000802	€ 230
AG - Rope repair set top/flush track 2 x 45m	AG-000803	€ 250
AG - Rope repair set top/flush track 2 x 72m	AG-000804	€ 350
Spaflex – Rope repair set top track 2x20m	AG-000857	€ 200
Spaflex – Rope repair set top track 2x30m	AG-000858	€ 230
AG/Spaflex - Rope repair set under track 2 x 20m	AG-000806	€ 200
AG/Spaflex - Rope repair set under track 2 x 30m	AG-000807	€ 230
AG/Spaflex - Rope repair set under track 2 x 45m	AG-000808	€ 250
AG/Spaflex - Rope repair set under track 2 x 72m	AG-000809	€ 350
AG/Spaflex - Set pull system 2 x 20m UT	AG-000851	€ 300
AG/Spaflex - Set pull system 2 x 30m UT	AG-000852	€ 330
AG/Spaflex - Set pull system 2 x 45m UT	AG-000853	€ 400
AG/Spaflex - Set pull system 2 x 72m UT	AG-000854	€ 600

	Art. Nr.	Price/piece
Guidance fabric Recessed Mechanism UT	AG-000560	€ 50
Guidance fabric Recessed Mechanism TT/FT	AG-000562	€ 50
Guidance fabric Top Mechanism	AG-000563	€ 50






Profiles - tracks

PROFIES

Pieces	Width cover	Dimensions of pieces	Art. nr.	Price/Piece
Leading edge in anodized aluminium 	≤ 4,6 m	75x45 mm, 4,6 m	AG-000368	€ 160
	≤ 5,6 m	75x45 mm, 5,6 m	AG-000369	€ 190
	≤ 6,6 m	75x45 mm, 6,6 m	AG-000370	€ 220
	≤ 8 m	100x60 mm, 8 m	AG-000434	€ 300
Tube in anodized aluminium 	≤ 5 m	Ø 125, 5m	AG-000035	€ 200
	≤ 7 m	Ø 125, 7m	AG-000036	€ 275
	≤ 8 m	Ø 170, 8m	AG-000037	€ 500

TRACKS

(LL = with Linerlock)

Installation type	Profiles	Art. nr.	Price	Remarks
	Top track (4,5 m)	AG-000391	€ 100	length of 4,5 m
	Fixation set tracks	AG-000335	€ 40	Set
	Flush track (4,5 m)	AG-000392	€ 100	length of 4,5 m
	Fixation set tracks	AG-000335	€ 40	Set
	U-profile flush track (50x15)	AG-000574	€ 10	length of 2 m
	Pocket track without LL (4,5m)	AG-000393	€ 80	length of 4,5 m
	Under track (4,5 m)	AG-000388	€ 80	length of 4,5 m
	Fixation set tracks	AG-000335	€ 40	Set
	Wedge for pocket profile	AG-000829	€ 5	length of 2 m
	Closing profile opposite wall	AG-000815	€ 25	length of 4,5 m
	Pocket track with LL (4,5m)	AG-000394	€ 80	length of 4,5 m
	Under track (4,5 m)	AG-000388	€ 80	length of 4,5 m
	Fixation set tracks	AG-000335	€ 40	Set
	Wedge for pocket profile	AG-000829	€ 5	length of 2 m
	Closing profile opposite wall	AG-000815	€ 25	length of 4,5 m
	Alu profile linerlock	AG-000414	€ 20	length of 2 m
	Front profile grate 4,5 m	AG-000612	€ 90	length of 4,5 m
	Front profile grate 6 m	AG-000613	€ 110	length of 6 m
	Joining set J-profile	AG-000638	€ 20	Set
	End caps set – J-profile	AG-000706	€ 70	Set

Price conditions & warranty

Price conditions

Price	In euro, VAT not included.
Price validity	Until 30th June 2023. The prices for finishing, options and accessories are only valid when buying a complete cover.
Invoice	Once the cover is completed, the invoice will be sent by e-mail or post.
Delivery	Ex Works T&A Geel - Belgium. Installation not included. Delivery time: 3 weeks after final written order.
Payment	Bank transfer before delivery.
Order	Only written or online orders will be accepted.

Warranty certificate

Technics & Applications bvba guarantees the delivered goods as follows:

The general guarantee period is 3 years for all components starting from date of invoice

Exceptions:

- **Components subject to wear and tear** such as sliders, pulleys, rope feeders, etc., **do not fall under the guarantee.** One set of spare parts that might be needed during the first maintenance is delivered with the cover. We advise you to replace the components subject to wear and tear each year.

Conditions for guarantee

The invoice serves as proof of guarantee. The guarantee covers the costs of replacing rejected or defective materials, to the extent that these form part of the delivery itself and are not the consequence, either directly or indirectly, of misuse, unusual weather conditions or force majeure. If the complaint is shown to be justified and accepted by T&A, we are only required to replace or provide compensation for the articles or components to which the complaint relates. The complaint should be submitted to us in writing within 7 days of the development of the problem.

Consequential damage and the costs of assembly, dismantling and transport are not covered by the guarantee. The manufacturer's responsibility ceases to apply if the defect arises as a result of injudicious behavior by the user or failure to comply with the instructions regarding installation, connection and use.

Changes of color may not be regarded as a defect, and are inherent to the product. Water seepage in components which are not presumed to be watertight may not be used as the basis for a guarantee claim under any circumstances.

Wood is a product of nature. Transformation and change of colour because of weather conditions, temperature and UV cannot be subject of warranty claims.

General terms and conditions

1. In the absence of an express written agreement to the contrary, our invoices are payable in cash at Geel. Should he fail to pay on the due date, contractual interest of 10% per annum shall be payable by the customer, as of right and without further notification. In such a case, moreover, compensation of 10% of the total price or EUR 75, whichever is the greater, shall also be payable, as of right and without further notification.
In the event of partial payment being made, the full amount of compensation shall still be payable.
The non-payment of a single invoice on its due date shall automatically render the outstanding balance on all other invoices – including those which have not yet fallen due – immediately payable.
Orders for bespoke work (e.g. AquaTop or AquaGuard) shall be invoiced for on the day on which the goods become ready for collection or delivery, even if delivery has not yet taken place.
2. Ownership of the goods only passes to the customer once the price has been paid in full. Risk passes to the customer from the moment of delivery, regardless of whether payment has already been made. The goods are regarded as having been delivered and accepted in the manufacturer's warehouse. Goods are transported at the customer's risk in all cases, regardless of the transport arrangements. In the case of deliveries to the customer's premises, risk is transferred at the moment that the goods leave our warehouse.
3. In the absence of any stipulation to the contrary, any delivery dates or work execution deadlines are quoted by way of indication only. The fact that such deadlines are exceeded may not be invoked by the customer as grounds for requesting the termination of the agreement, claiming compensation from us or seeking any other form of recourse against us.
4. Quotations are provided for illustration purposes only. Orders only become binding and valid after their acceptance by a competent person within the company.
5. We may not be held liable in any way or under any circumstances whatsoever on the grounds of minor negligence on our part or that of our employees.
Other than in the case of intentional acts, our liability shall in all cases be limited to the value of the delivery and to the direct damage caused. Indirect damage is not eligible for compensation.
6. In the event that the customer rejects the order or cancels the contract, or the contract cannot be executed for reasons for which the customer is responsible, he shall pay us compensation of 25% of the total sum.
For bespoke work, an exception to the foregoing provision applies once the production of the item in question has started. In this case, the full amount of the invoice shall be payable by the customer if he rejects the order or cancels the contract, or the contract cannot be executed for reasons for which he is responsible.
7. The customer is responsible for communicating the right dimensions and specifications for the item he orders. We accept no liability for any mistake and/or omission in this regard.
8. However, the customer should point out any visible defects at the time of delivery.
9. Should one of the clauses of this agreement be declared null and void, this shall not render the other clauses or the contract as a whole null and void.
10. In the event of any conflict of invoicing terms, those indicated here shall take precedence over those of the contracting party.
11. Belgian law shall apply to any disputes relating to this agreement. The Herentals magistrates' court and the courts of Turnhout shall have sole jurisdiction for the hearing of any disputes.